# INDEX TO
# EXPERIMENTAL TECHNIQUES
## VOLUME 14, 1990

### Title Index


Air-jet Thrusters for Active Vibration Control: Design and Calibration — W.L. Hallauer and J.C. Smith, 47-50 (Nov/Dec).

Alternate Computational Approach to Strain-gage Rosette Data Reduction, An — G.S. Schajer, 54-57 (Mar/Apr).

Analysis of Mine Roof Support Using Trusses: A Student Project in Experimental Mechanics — S.C. Gambrell, Jr., and P.K. Crane, 34-36 (Jan/Feb).

Apparatus for Bearing-bypass Testing of Bolted Joints, An — J.H. Crews, Jr., 54-57 (Nov/Dec).

Apparatus for Nonconventional Ultrasonic Testing of Composite Laminates, An — E. Biagi, S. Rocchi and D. Vangi, 51-53 (Mar/Apr).

Application of Acoustic Emission to Flaw Detection in Engineering Materials — F.A. Moslehy, 31-33 (Jan/Feb).

Application of the Method of Optical Caustics to the Study of High Temperature Creep Fracture — J.L. Ding and G.L. Panger, Jr., 46-52 (Sept/Oct).

Bolt in Photoelastic Model of Steel-bolt Aluminum-lug Assembly — J. Cernosek, 44-46 (Jan/Feb).

Compensation Technique for Strain Measurement in Cryogenic Environments, A — R.S. Mikesell, D.R. Clark and M.L. Speck, 26-32 (Sept/Oct).

Computerized Photoelastic Fringe Multiplication — S.L. Toh, S.H. Tang and J.D. Hovanesian, 21-23 (July/Aug).

Continuous Measurement for Magnetron Target Erosion — S. Pekarek, J. Rosenkranz and R. Balek, 20-21 (May/June).

Crack Growth Measurement in Piping and Pressure Vessel Tests — G. Samland, H. Kockelmann and A. Piekutowski, 21-25 (Sept/Oct).

Damage Assessment Through Electrical Resistance Measurement in Graphite Fiber-reinforced Composites — R. Prabhakaran, 16-20 (Jan/Feb).

Damage Monitoring of Composite Material by Image Processing — Y.Z. Dai and F.P. Chiang, 39-41 (July/Aug).

Development of the D.C. Potential Drop Method for One- and Two-directional Crack Growth Monitoring — D.P. Romilly, 22-28 (May/June).

Direct Oblique-incidence Method for Reflection Photoelasticity — U.M. Chaudhari and P.B. Godbole, 37-39 (Jan/Feb).

Dynamic Calibration Methods for Transducer Instrumentation — M.J. Dixon, 51-53 (Nov/Dec).

Effects of Specimen Design in Large-strain Compression — W.A. Kawahara, 58-60 (Mar/Apr).

Electromagnetic Closed-loop Materials Testing Station, An — M.L. Wang, S.P. Shah and J.P. Baker, 52-55 (July/Aug).

Fixtures and Test Procedures for Miniature Threaded Fasteners — R.T. Reese, L.J. Lloyd and W.A. Kawahara, 30-34 (Nov/Dec).

Float Glass Tapecasting System for Producing Thin Ceramic Substrates — F.Y.C. Boey, 32-35 (May/June).

Hidden Responsibilities of the Experimentalist, The — L.J. Lazarus, 35-39 (Nov/Dec).

High Temperature Measurements on Uncoated Carbon/Carbon Material — C.A. Barthel, J.L. Howard, E.J. Nelson and J.L. Mullineaux, 33-38 (Sept/Oct).

Indirect Measurement of Blasting Pressures in Boreholes — C.T. See, W. Suaris and M.K. Phang, 13-16 (May/June).

Laser Beam Used in Mass-per-unit Area Measurement — D. Adophe, J.Y. Drean and D. Sigli, 48-50 (Mar/Apr).

Measurement of Interlaminar Shear Stiffness of Symmetric Laminates by Three-point Bend Test — A.K. Roy and R.Y. Kim, 34-38 (July/Aug).

Measurement of Material Damping by Free-vibration Technique with Periodic Excitation, The — C.K. So, T.C. Lai and P.C. Tse, 41-42 (May/June).

Measuring True Acceleration Vectors with Triaxial Accelerometers — S. Han and K.G. McConnell, 36-40 (May/June).

Method for Determination of Liquid Level and Bend in a Sealed Tube, A — C.B. Rao, B. Venkatraman, D.K. Bhattacharya and B. Raj, 29-31 (May/June).

Moiré Interferometry with Enhanced Resolution — R. Czarnek, J. Lee and T. Rantis, 24-28 (July/Aug).

Noncontact Speed Measurement on Running Thread Using Spatial Filter — H. Morikawa, M. Nakazawa and T. Hayashi, 31-35 (Mar/Apr).

Photoelastic Analogy Method for Flow Visualization — J. Youquan, C. Yuhei and S. Wei, 57-59 (Sept/Oct).

Photoelastic Investigation of Metal-forming Processes Using New Sapphire Dies — S.D.K. Barbat and R.S. Rao, 40-43 (Jan/Feb).

Photoelastic Study on Composite Stitching — D. Liu, 25-27 (Jan/Feb).

Practical All-fiber Laser Vibrometer, A — R.I. Laming, T.H. Wilmshurst, N.A. Halliwell and J.R. Baker, 44-47 (Mar/Apr).

Procedure for Aligning Hydraulic Tensile Test Machines, A — J.A. Lavoie, 53-56 (Sept/Oct).

Remote-aligned Off-axis Receiver for Laser Velocimetry in Large Facilities, A — N.M. Komerath, S.G. Liou and T.L. Thompson, 29-33 (July/Aug).

Robust Time-domain Modal Identification on Microcomputers — M.J. Roemer, S.T. Schlonski and D.J. Mook, 44-46 (Nov/Dec).

Screening Method for Fatigue-tolerant Laminated Composites, A — S. Kellas and J. Morton, 21-24 (Jan/Feb).

Shearograms with Variable Measurement Sensitivity — P.A. Klumpp and F. Schnack, 42-44 (July/Aug).

Simple and Inexpensive Polariscope for an Analysis of Slices from Stress-frozen Photoelastic Models, A — J. Cernosek, 28-30 (Jan/Feb).

Simple High-frequency Force Transducer, A — S.A. Rizzi and J.F. Doyle, 45-48 (July/Aug).

Small Specimen Compression Testing in a Pressurized Steam Environment — M. Li, M.P. Wolcott, F.A. Kamke and D.A. Dillard, 17-19 (May/June).

Small Strain-gage Applications — E.G. Wenski, 40-43 (Nov/Dec).

Some Problems of Accelerating the Measurements and Evaluating the Stress Fields by the Photostress Method — F. Trebuna, 36-40 (Mar/Apr).

Steel-fiber Cementitious Matrix Load Relaxation Studies Using a Screw-driven Testing Machine — N. Banthia and M.R. Krishnadev, 41-43 (Mar/Apr).

Strain-gage Applications in Wind Tunnel Balances — P.J. Mole, 39-42 (Sept/Oct).

Tensile and Compressive Materials Testing with Sub-sized Specimens — W.A. Kawahara, 27-29 (Nov/Dec).

Three-axis Optical Alignment System — C. Barns, 49-51 (July/Aug).

Video Analysis of Membrane Strain: An Application in Cell Stretching — J.A. Gilbert, A.J. Banes, G.W. Link and G.L. Jones, 43-45 (Sept/Oct).


### Author Index


**Adophe, D.** — Laser Beam Used in Mass-per-unit Area Measurement, 48-50 (Mar/Apr).

**Baker, J.P.** — An Electromagnetic Closed-loop Materials Testing Station, 52-55 (July/Aug).

**Baker, J.R.** — A Practical All-fiber Laser Vibrometer, 44-47 (Mar/Apr).

**Balek, R.** — Continuous Measurement for Magnetron Target Erosion, 20-21 (May/June).

**Banes, A.J.** — Video Analysis of Membrane Strain: An Application in Cell Stretching, 43-45 (Sept/Oct).

**Banthia, N.** — Steel-fiber Cementitious Matrix Load Relaxation Studies Using a Screw-driven Testing Machine, 41-43 (Mar/Apr).

**Barbat, S.D.K.** — Photoelastic Investigation of Metal-forming Processes Using New Sapphire Dies, 40-43 (Jan/Feb).
**Barns, C.** — Three-axis Optical Alignment System, 49-51 (July/Aug).
**Barthel, C.A.** — High Temperature Measurements on Uncoated Carbon/Carbon Material, 33-38 (Sept/Oct).
**Bhattacharya, D.K.** — A Method for Determination of Liquid Level and Bend in a Sealed Tube, 29-31 (May/June).
**Biagi, E.** — An Apparatus for Nonconventional Ultrasonic Testing of Composite Laminate, 51-53 (Mar/Apr).
**Boey, F.Y.C.** — Float Glass Tapecasting System for Producing Thin Ceramic Substrates, 32-35 (May/June).
**Cernosek, J.** — A Simple and Inexpensive Polariscope for an Analysis of Slices from Stress-frozen Photoelastic Models, 28-30 (Jan/Feb).
Bolt in Photoelastic Model of Steel-bolt Aluminum-lug Assembly, 44-46 (Jan/Feb).
**Chaudhari, U.M.** — Direct Oblique-incidence Method for Reflection Photoelasticity, 37-39 (Jan/Feb).
**Chiang, F.P.** — Damage Monitoring of Composite Material by Image Processing, 39-41 (July/Aug).
**Clark, D.R.** — A Compensation Technique for Strain Measurement in Cryogenic Environments, 26-32 (Sept/Oct).
**Crane, P.K.** — Analysis of Mine Roof Support Using Trusses: A Student Project in Experimental Mechanics, 34-36 (Jan/Feb).
**Crews, Jr., J.H.** — An Apparatus for Bearing-bypass Testing of Bolted Joints, 54-57 (Nov/Dec).
**Czarnek, R.** — Moiré Interferometry with Enhanced Resolution, 24-28 (July/Aug).
**Dai, Y.Z.** — Damage Monitoring of Composite Material by Image Process ing, 39-41 (July/Aug).
**Dillard, D.A.** — Small Specimen Compression Testing in a Pressurized Steam Environment, 17-19 (May/June).
**Ding, J.L.** — Application of the Method of Optical Caustics to the Study of High Temperature Creep Fracture, 46-52 (Sept/Oct).
**Dixon, M.J.** — Dynamic Calibration Methods for Transducer Instrumentation, 51-53 (Nov/Dec).
**Doyle, J.F.** — A Simple High-frequency Force Transducer, 45-48 (July/Aug).
**Drean, J.Y.** — Laser Beam Used in Mass-per-unit Area Measurement, 48-50 (Mar/Apr).
**Gambrell, Jr., S.C.** — Analysis of Mine Roof Support Using Trusses: A Student Project in Experimental Mechanics, 34-36 (Jan/Feb).
**Gilbert, J.A.** — Video Analysis of Membrane Strain: An Application in Cell Stretching, 43-45 (Sept/Oct).
**Godbole, P.B.** — Direct Oblique-incidence Method for Reflection Photoelasticity, 37-39 (Jan/Feb).
**Hallauer, W.L.** — Air-jet Thrusters for Active Vibration Control: Design and Calibration, 47-50 (Nov/Dec).
**Halliwell, N.A.** — A Practical All-fiber Laser Vibrometer, 44-47 (Mar/Apr).
**Han, B.** — Measuring True Acceleration Vectors with Triaxial Accelerometers, 36-40 (May/June).
**Hayashi, T.** — Noncontact Speed Measurement on Running Thread Using Spa- tial Filter, 31-35 (Mar/Apr).
**Hovanesian, J.D.** — Computerized Photoelastic Fringe Multiplication, 21-23 (July/Aug).
**Howard, J.L.** — High Temperature Measurements on Uncoated Carbon/Carbon Material, 33-38 (Sept/Oct).
**Jones, G.L.** — Video Analysis of Membrane Strain: An Application in Cell Stretching, 43-45 (Sept/Oct).
**Kawahara, W.A.** — Effects of Specimen Design in Large-strain Compression, 58-60 (Mar/Apr).
Fixtures and Test Procedures for Miniature Threaded Fasteners, 30-34 (Nov/Dec).
Tensile and Compressive Materials Testing with Sub-sized Specimens, 27-29 (Nov/Dec).
**Kemke, F.A.** — Small Specimen Compression Testing in a Pressurized Steam Environment, 17-19 (May/June).
**Kellas, S.** — A Screening Method for Fatigue-tolerant Laminated Composites, 21-24 (Jan/Feb).
**Kim, R.Y.** — Measurement of Interlaminar Shear Stiffness of Symmetric Laminates by Three-point Bend Test, 34-38 (July/Aug).
**Klumpp, P.A.** — Shearograms with Variable Measurement Sensitivity, 42-44 (July/Aug).
**Kockelmann, H.** — Crack Growth Measurement in Piping and Pressure Vessel Tests, 21-25 (Sept/Oct).
**Komerath, N.M.** — A Remote-aligned Off-axis Receiver for Laser Velocimetry in Large Facilities, 29-33 (July/Aug).
**Krishnadev, M.R.** — Steel-fiber Cementitious Matrix Load Relaxation Studies Using a Screw-driven Testing Machine, 41-43 (Mar/Apr).
**Lai, T.C.** — The Measurement of Material Damping by Free-vibration Technique with Periodic Excitation, 41-42 (May/June).
**Laming, R.I.** — A Practical All-fiber Laser Vibrometer, 44-47 (Mar/Apr).
**Lavole, J.A.** — A Procedure for Aligning Hydraulic Tensile Test Machines, 53- 56 (Sept/Oct).
**Lazarus, L.J.** — The Hidden Responsibilities of the Experimentalist, 35-39 (Nov/Dec).
Fixtures and Test Procedures for Miniature Threaded Fasteners, 30-34 (Nov/Dec).
**Lee, J.** — Moiré Interferometry with Enhanced Resolution, 24-28 (July/Aug).
**Li, M.** — Small Specimen Compression Testing in a Pressurized Steam Environment, 17-19 (May/June).
**Link, G.W.** — Video Analysis of Membrane Strain: An Application in Cell Stretching, 43-45 (Sept/Oct).
**Liou, S.G.** — A Remote-aligned Off-axis Receiver for Laser Velocimetry in Large Facilities, 29-33 (July/Aug).
**Liu, D.** — Photoelastic Study on Composite Stitching, 25-27 (Jan/Feb).
**McConnell, K.G.** — Measuring True Acceleration Vectors with Triaxial Accelerometers, 36-40 (May/June).
**Mikesell, R.S.** — A Compensation Technique for Strain Measurement in Cryogenic Environments, 26-32 (Sept/Oct).
**Mole, P.J.** — Strain-gage Application in Wind Tunnel Balances, 39-42 (Sept/Oct).
**Mook, D.J.** — Robust Time-domain Modal Identification on Microcom puters, 44-46 (Nov/Dec).
**Morikawa, H.** — Noncontact Speed Measurement on Running Thread Using Spatial Filter, 31-35 (Mar/Apr).
**Morten, J.** — A Screening Method for Fatigue-tolerant Laminated Composites, 21-24 (Jan/Feb).
**Moslehy, F.A.** — Application of Acoustic Emission to Flaw Detection in Engineering Materials, 31-33 (Jan/Feb).
**Mullineaux, J.L.** — High Temperature Measurements on Uncoated Carbon/Carbon Material, 33-38 (Sept/Oct).
**Nakazawa, M.** — Noncontact Speed Measurement on Running Thread Using Spatial Filter, 31-35 (Mar/Apr).
**Nelson, E.J.** — High Temperature Measurements on Uncoated Carbon/Carbon Material, 33-38 (Sept/Oct).
**Panger, Jr., G.L.** — Application of the Method of Optical Caustics to the Study of High Temperature Creep Fracture, 46-52 (Sept/Oct).
**Pekarek, S.** — Continuous Measurement for Magnetron Target Erosion, 20-21 (May/June).
**Phang, M.K.** — Indirect Measurement of Blasting Pressures in Boreholes, 13-16 (May/June).
**Piekutowski, A.** — Crack Growth Measurement in Piping and Pressure Vessel Tests, 21-25 (July/Aug).
**Prabhakaran, R.** — Damage Assessment Through Electrical Resistance Measurement in Graphite Fiber-reinforced Composites, 16-20 (Jan/Feb).
**Raj, B.** — A Method for Determination of Liquid Level and Bend in a Sealed Tube, 29-31 (May/June).
**Rantis, T.** — Moiré Interferometry with Enhanced Resolution, 24-28 (July/Aug).
**Rao, C.B.** — A Method for Determination of Liquid Level and Bend in a Sealed Tube, 29-31 (May/June).
**Rao, R.S.** — Photoelastic Investigation of Metal-forming Processes Using NewSapphire Dies, 40-43 (Jan/Feb).
**Reese, R.T.** — Fixtures and Test Procedures for Miniature Threaded Fasteners, 30-34 (Nov/Dec).
**Rizzi, S.A.** — A Simple High-frequency Force Transducer, 45-48 (July/Aug).
**Rocchi, S.** — An Apparatus for Nonconventional Ultrasonic Testing of Composite Laminates, 51-53 (Mar/Apr).
**Roemer, M.J.** — Robust Time-domain Modal Identification on Microcomputers, 44-46 (Nov/Dec).
**Romilly, D.P.** — Development of the D.C. Potential Drop Method for One andTwo-directional Crack Growth Monitoring, 22-28 (May/June).
**Rosenkranz, J.** — Continuous Measurement for Magnetron Target Erosion, 2021 (May/June).
**Roy, A.K.** — Measurement of Interlaminar Shear Stiffness of Symmetric Laminates by Three-point Bend Test, 34-38 (July/Aug).
**Samland, G.** — Crack Growth Measurement in Piping and Pressure Vessel Tests, 21-25 (Sept/Oct).
**Schajer, G.S.** — An Alternate Computational Approach to Strain-gage Rosette Data Reduction, 54-57 (Mar/Apr).
**Schlonski, S.** — Robust Time Domain Modal Identification on Microcomputers, 44-46 (Nov/Dec).
**Schnack, F.** — Shearograms with Variable Measurement Sensitivity, 42-44 (July/Aug).
**See, C.T.** — Indirect Measurement of Blasting Pressures in Boreholes, 13-16 (May/June).
**Shah, S.P.** — An Electromagnetic Closed-loop Materials Testing Station,

52-55 (July/Aug).
**Sigli, D.** — Laser Beam Used in Mass-per-unit Area Measurement, 48-50 (Mar/Apr).
**Smith, J.C.** — Air-jet Thrusters for Active Vibration Control: Design and Calibration, 47-50 (Nov/Dec).
**So, C.K.** — The Measurement of Material Damping by Free-vibration Technique with Periodic Excitation, 41-42 (May/June).
**Speck, M.L.** — A Compensation Technique for Strain Measurement in Cryogenic Environments, 26-32 (Sept/Oct).
**Suaris, W.** — Indirect Measurement of Blasting Pressures in Boreholes, 13-16 (May/June).
**Tang, S.H.** — Computerized Photoelastic Fringe Multiplication, 21-23 (July/Aug).
**Thompson, T.L.** — A Remote-aligned Off-axis Receiver for Laser Velocimetry in Large Facilities, 29-33 (July/Aug).
**Toh, S.L.** — Computerized Photoelastic Fringe Multiplication, 21-23 (July/Aug).
**Trebuna, F.** — Some Problems of Accelerating the Measurements and Evaluating the Stress Field by the Photostress Method, 36-40 (Mar/Apr).
**Tse, P.C.** — The Measurement of Material Damping by Free-vibration Technique with Periodic Excitation, 41-42 (May/June).
**Vangi, D.** — An Apparatus for Nonconventional Ultrasonic Testing of Composite Laminates, 51-53 (Mar/Apr).
**Venkatraman, B.** — A Method for Determination of Liquid Level and Bend in a Sealed Tube, 29-31 (May/June).
**Wang, M.L.** — An Electromagnetic Closed-loop Materials Testing Station, 5255 (July/Aug).
**Wei, S.** — Photoelastic Analogy Method for Flow Visualization, 57-59 (Sept/ Oct).
**Wenski, E.G.** — Small Strain-gage Applications, 40-43 (Nov/Dec).
**Wilmshurst, T.H.** — A Practical All-fiber Laser Vibrometer, 44-47 (Mar/Apr).
**Wolcott, M.P.** — Small Specimen Compression Testing in a Pressurized Steam Environment, 17-19 (May/June).
**Youquan, J.** — Photoelastic Analogy Method for Flow Visualization, 57-59 (Sept/Oct).
**Yuhei, C.** — Photoelastic Analogy Method for Flow Visualization, 57-59 (Sept/ Oct).

# Index to Advertisers


| | |
|---|---|
| 70 | Addelco Corporation |
| 61 | Binsfeld Engineering, Inc. |
| 70 | Clark Laboratory Services |
| 70 | Delsen Testing Laboratories, Inc. |
| 70 | Engineering Specifics Association, Inc. |
| 70 | Hitec Products, Inc. |
| 3 | J.P. Technologies, Inc. |
| Inside Back Cover | J.P. Technologies, Inc. |
| 63 | Kistler Instrument Corporation |
| 57 | Kyowa Dengyo Corporation |
| 70 | L.J. Broutman & Associates, Ltd. |
| 59 | LMS International |
| Inside Front Cover | Measurements Group, Inc. |
| Outside Back Cover | Measurements Group, Inc. |
| 64 | Optim Electronics Corporation |
| 7 | PCB Piezotronics, Inc. |
| 66 | Schenck Pegasus Corporation |
| 70 | Stress Engineering Services, Inc. |
| 65 | Stresscoat |
| 62 | Texas Measurements, Inc. |


U.S. Postal Service
**STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION**
(Required by 39 U.S.C. 3685)

| 1A. TITLE OF PUBLICATION | 1B. PUBLICATION NO. | 2. DATE OF FILING |
|---|---|---|
| EXPERIMENTAL TECHNIQUES | 0 7 3 2 8 8 1 0 | 9/26/90 |
| 3. FREQUENCY OF ISSUE | 3A. NO. OF ISSUES PUBLISHED ANNUALLY | 3B. ANNUAL SUBSCRIPTION PRICE |
| Bi-monthly | 6 | $64.00 |

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP+4 Code) (Not printers)
Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHER (Not printer)
Same as #4

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (Do not leave BLANK)
PUBLISHER (Name and Complete Mailing Address)
K.A. Gallone, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801
EDITOR (Name and Complete Mailing Address)
Same as #6
MANAGING EDITOR (Name and Complete Mailing Address)
D. M. Thackrey, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)

| FULL NAME | COMPLETE MAILING ADDRESS |
|---|---|
| Society for Experimental Mechanics, Inc. | 7 School St., Bethel, CT 06801 |

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

| FULL NAME | COMPLETE MAILING ADDRESS |
|---|---|
| None | |

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 423.12 DMM only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: (Check one)
(1) ☒ HAS NOT CHANGED DURING PRECEDING 12 MONTHS ☐ (2) HAS CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)

| 10. EXTENT AND NATURE OF CIRCULATION (See instructions on reverse side) | AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS | ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE |
|---|---|---|
| A. TOTAL NO. COPIES (Net Press Run) | 3778 | 3800 |
| B. PAID AND/OR REQUESTED CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales | 0 | 0 |
| 2. Mail Subscription (Paid and/or requested) | 3201 | 3175 |
| C. TOTAL PAID AND/OR REQUESTED CIRCULATION (Sum of 10B1 and 10B2) | 3201 | 3175 |
| D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES | 52 | 56 |
| E. TOTAL DISTRIBUTION (Sum of C and D) | 3253 | 3231 |
| F. COPIES NOT DISTRIBUTED 1. Office use, left over, unaccounted, spoiled after printing | 525 | 569 |
| 2. Return from News Agents | 0 | 0 |
| G. TOTAL (Sum of E, F1 and 2--should equal net press run shown in A) | 3778 | 3800 |

11. I certify that the statements made by me above are correct and complete. SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER
K.A. Gallone, Publisher


***At your fingertips:***
***Many of the newest applications and case studies in experimental mechanics.***

**Proceedings of the 1990 SEM Spring Conference**

Filled with facts, diagrams and documentation, this compendium of presentations includes 123 papers in 31 subject areas. Topics include fracture, optics, composites, digital image analysis, photoelasticity, smart structures, and much more.

**Softbound, 783 pages.**
**Members: $77.50**
**Nonmembers/ Institutions: $92.50**
**Order #P90S**

**Mail orders to:**
**SEM Publications Dept.**
**7 School St.**
**Bethel, CT 06801 USA**
**203-790-6373**
**FAX: 203-790-4472**

All orders must be prepaid in U.S. dollars by check, MasterCard or VISA